

	Type	Hits	Search Text	DBs
1	BRS	1051	349/141	US-PGPUB; USPAT; EPO; JPO
2	BRS	509	gate ADJ electrode ADJ length	US-PGPUB; USPAT; EPO; JPO
3	BRS	1	S1 and S2	US-PGPUB; USPAT; EPO; JPO
4	BRS	7430	gate ADJ electrode with length	US-PGPUB; USPAT; EPO; JPO
5	BRS	12	S1 and S4	US-PGPUB; USPAT; EPO; JPO
6	BRS	842	in ADJ plane ADJ switch\$3	US-PGPUB; USPAT; EPO; JPO
7	BRS	0	S2 and S6	US-PGPUB; USPAT; EPO; JPO
8	BRS	7	S4 and S6	US-PGPUB; USPAT; EPO; JPO

	Type	Hits	Search Text	DBs
9	BRS	0	semiconduct\$3 ADJ width same (gate ADJ electrode and drain ADJ electrode)	US- PGPUB; USPAT; EPO; JPO
10	BRS	4	(semiconduct\$3 ADJ wid\$3) same (gate ADJ electrode and drain ADJ electrode)	US- PGPUB; USPAT; EPO; JPO
11	BRS	1715	349/43	US- PGPUB; USPAT; EPO; JPO
12	BRS	1	(semiconduct\$3 ADJ wid\$3) and S11	US- PGPUB; USPAT; EPO; JPO
13	BRS	1	(semiconduct\$3 ADJ wid\$3) and (S1 S6)	US- PGPUB; USPAT; EPO; JPO
14	IS&R	4	((("6256076") or ("6404474") or ("6069678") or ("6744482")).PN.	US- PGPUB; USPAT; EPO; JPO
15	BRS	2	10/762327 10/397256	US- PGPUB; USPAT; EPO; JPO
16	IS&R	1	("6128060").PN.	US- PGPUB; USPAT; EPO; JPO

	Type	Hits	Search Text	DBs
17	BRS	8	inclin\$3 ADJ gate ADJ electrode	US-PGPUB; USPAT; EPO; JPO
18	BRS	413	gate ADJ electrode with inclin\$3	US-PGPUB; USPAT; EPO; JPO
19	BRS	1715	349/43	US-PGPUB; USPAT; EPO; JPO
20	BRS	13	S19 and S18	US-PGPUB; USPAT; EPO; JPO
21	BRS	19	gate ADJ electrode same inclin\$3 and S19	US-PGPUB; USPAT; EPO; JPO
22	BRS	6	S21 not S20	US-PGPUB; USPAT; EPO; JPO
23	BRS	35	gate ADJ electrode with inclin\$3 ADJ angle	US-PGPUB; USPAT; EPO; JPO
24	BRS	6	gate ADJ electrode same inclin\$3 ADJ angle and 349/43	US-PGPUB; USPAT; EPO; JPO

	<b>Type</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>25</b>	<b>BRS</b>	<b>4873</b>	<b>S19 257/59 257/72 349/92</b>	<b>US- PGPUB; USPAT; EPO; JPO</b>
<b>26</b>	<b>BRS</b>	<b>318055</b>	<b>U ADJ shap\$3</b>	<b>US- PGPUB; USPAT; EPO; JPO</b>
<b>27</b>	<b>BRS</b>	<b>1</b>	<b>S27 and inclin\$3 ADJ angle</b>	<b>US- PGPUB; USPAT; EPO; JPO</b>
<b>28</b>	<b>BRS</b>	<b>112</b>	<b>S25 and S26</b>	<b>US- PGPUB; USPAT; EPO; JPO</b>
<b>29</b>	<b>BRS</b>	<b>617</b>	<b>(gate ADJ electrode and drain ADJ electrode) with distan\$2</b>	<b>US- PGPUB; USPAT; EPO; JPO</b>
<b>30</b>	<b>BRS</b>	<b>101</b>	<b>S25 and S29</b>	<b>US- PGPUB; USPAT; EPO; JPO</b>
<b>31</b>	<b>BRS</b>	<b>7</b>	<b>S26 and S30</b>	<b>US- PGPUB; USPAT; EPO; JPO</b>
<b>32</b>	<b>BRS</b>	<b>1</b>	<b>10/653937</b>	<b>US- PGPUB; USPAT; EPO; JPO</b>

	Type	Hits	Search Text	DBs
33	BRS	7956	gate ADJ line and gate ADJ electrode	US- PGPUB; USPAT; EPO; JPO